OEC Elite[™] MiniView[™] Changing the mini C-arm experience



OEC Elite MiniView

Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

It's simply better for you.

With the world's largest installed base of mobile C-arms, GE OEC observed the daily experiences of extremity surgeons and found that we could eliminate frustrations that affect your workflow, your comfort, and your control with a simplified mini C-arm design. GE's OEC Elite MiniView can improve your mini C-arm experience by enabling you to:

Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE markin

Manage your mini C-arm single-handedly with speed and ease

See detailed, full-sized dual images without straining

Count on your mini C-arm's reliability to support higher productivity



Manage your C-arm single-handedly with speed and **ease**


Lightweight carbon fiber C designed with distinctive rotation and vertical travel to glide easily into position.

EASE OF MANEUVERABILITY AND POSITIONING.

Unlike traditional rear capture mini C-arms, MiniView is designed around an orbital rotational access point leveraging gravity rather than competing against it. Combining a orbital rotation sleeve with a counterbalanced vertical slider enables smooth, fluid movements and reduces natural drift. You achieve optimal positioning quickly switching easily from AP to lateral and axial views, which can help drive your procedural efficiency and a better C-arm experience.

LIGHTWEIGHT. LESS FORCE REQUIRED.

MiniView's carbon fiber C and balanced design cut the C weight by >30%, reducing the force necessary to position around anatomy and to maneuver in and out of the surgical field.



Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

SIMPLIFIED SURGICAL DESIGN. STERILE FIELD PROTECTION.

With MiniView, all administrative function controls are outside the sterile field. Only the surgical necessities are on the front plane, reducing the risk of sterile field breaches and resulting delays.

MORE CONTROL. MORE INDEPENDENCE.

The elegant simplicity of the MiniView design, combined with thorough GE OEC training in your O.R., means you may require less support from staff and retain more independent control.

380 degrees of lateral rotation

33" (85cm) vertical travel range 16" (41cm) low to 50" (127cm)

Lock joints and eliminate drift concerns with the touch of one button

Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

Only OEC Elite MiniView has the SmartLock system.

ELIMINATING THE FRUSTRATION OF DRIFT

The MiniView C-arm's natural balance resists drift to stay where you put it. The SmartLock system gives you an extra level of confidence with just a single touch. One electric button secures the four key joints: orbital, upper, lower and vertical slider.

SIMPLIFIED DESIGN. CONVENIENT OPERATION.

By dispensing with complicated locking levers and dials for each joint, MiniView eases positioning and streamlines your workflow. Rather than moving and locking each arm segment one at a time, you guide and lock the arm system in one synchronized movement. It's fast, simple, and convenient. For safety and ease of operation, the system allows for manual override and disengages as you power down for transport.

"Drift is a big distraction and a drain on my productivity. Ending that frustration with a single touch would streamline procedures and speed my workflow."

–Orthopedic Surgeon, New Orleans, LA ,USA



See detailed, full-sized dual images without straining

LARGEST PRIMARY AND REFERENCE IMAGES

MiniView is the only mini C-arm with Dual 19" (48 cm) monitors that enable you to view full-size primary and reference images simultaneously. With 11.4" (29 cm) images, MiniView displays the largest primary and reference images of any mini C-arm.

FIELD OF VIEW FOR CLINICAL RELEVANCE

MiniView's circular FOV allows you to focus on the most clinically relevant anatomy while reducing the area exposed to potentially unneeded dose.

The highest displayed resolution flat panel image delivers exceptional detail.



Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

SHARP DETAIL IN HIGH RESOLUTION

MiniView has the highest displayed resolution flat panel mini C-arm image on the market, designed to allow visualization of fine bony detail such as hairline fractures and trabecular patterns.

- Least downsampling of acquired data
- Smallest focal spot (0.033 mm)
- Greatest range of technique

SMARTMETAL PRESERVES ANATOMIC DETAIL

OEC Smart Metal optimizes image quality even with the introduction of metal objects into the X-ray field. No manual brightness or contrast adjustments are needed.

CMOS Flat Detector (CFD) technology: **Optimizing Image Quality and Dose**

2X GREATER SPATIAL RESOLUTION THAN CURRENT MINI **IMAGE INTENSIFIER**

Not only is CMOS flat detector (CFD) technology more efficient at turning X-ray energy into a digital image than conventional image intensifier technology, the MiniView CFD has 2x greater spatial resolution* than the traditional image intensifier based mini C-arm.

A UNIFORM IMAGE FREE OF GEOMETRIC DISTORTION

With no optics, the CFD detector converts the X-ray energy into an image that:

- Has no geometric distortion or curving at detector edges even in the presence of devices with magnetic fields
- No inherent vignetting: the data at detector edges are not artificially darkened.

SMALLER, THINNER, EASIER TO POSITION

With less bulk to manage than with an image intensifier, the slim profile MiniView CFD positions easily, improving access to anatomy in complex procedures and enhancing procedural ergonomics.


Convenient Low Dose and Imaging Controls

EASILY ACCESSIBLE LOW DOSE MODE.

From the tube head control panel, the user can select low dose mode which provides a similar high resolution image to normal mode but at approximately half the mA, reducing dose for both the patient and clinician.

CONVENIENT AUTOTRACKING. SUPERB IMAGES.

In situations where the anatomy may be off-center, MiniView automatically seeks the subject anatomy anywhere within the imaging field and selects the optimum imaging technique.





*(lp/mm), as determined by engineering testing for Normal and Mag modes using ABS

Count on your C-arm's reliability to support higher productivity

Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

A reliable C-arm helps contribute to your facility's productivity. Dependable performance can help you maintain surgical schedules and feel confident you'll meet your patient's expectations of on-time treatment.

GE OEC mobile C-arms are ranked #1 in reliability¹ and average 280%* higher trade-in value than industry average.²

Your team will receive the support they've come to expect from a global leader in surgical imaging. We stand behind you with service training and local parts inventory-along with 24/7 support.



LARGEST SUPPORT TEAM With the largest installed base

of C-arms, GE has the largest C-arm service and dedicated support team in the world. C-arm specialists are at your service.



30 MINUTE RESPONSE TIME

When you have questions or service requirements, you can't afford to wait. That's why our call center guarantees Service customers* a response time of 30 minutes or less.

- * European customers must have a POWER service contract to receive this service.
- 1. According to MD Buyline 2015 User Satisfaction studies.

THE MINIVIEW WAS DESIGNED TO MOVE

MiniView is less bulky and 100 lbs lighter than the OEC 6800. Together with sturdy push/pull handles, better visibility, and dualside wheel locks, the lightweight system moves easily. Transport is further simplified by a C-arm locking mechanism and dual purpose handles that serve as bumpers to protect the monitors.





SERVICE SPECIALISTS NEARBY

Our large service network has extensive geographic coverage: 80% of our U.S. installed systems are within 40 miles of a dedicated C-arm specialist.

2. Residual value calculated with a comparative value calculator. Represented equipment values in this tool were determined based on GE Healthcare's periodic assessment of market value as of July 2015. The values are provided for illustration purposes only and not an offer to purchase. Actual values will vary and you are invited to independently verify any information provided. Industry average includes comparable competitive c-arms.

A better mini C-arm experience: It's in every detail of the OEC Elite MiniView

Inspired by the goal of improving the experience you have with your mini C-arm, we focused MiniView's design on:

- Ending positioning struggles
- Increasing imaging confidence
- Improving your independent control of the C-arm

With fewer distractions and frustrations, you're freed to focus on improving success. A better experience with your mini C-arm just might lead to a better day in your O.R.

CUSTOMIZED STERILE DRAPE WITH CFD PLATE PROTECTOR

SMARTLOCK

Single button 4 lock

LIGHT, BALANCED PIVOT C

for easy maneuverability

Carbon fiber C for strength

Rotating on smooth orbital sleeve

anti-drift system

and lightweight



CMOS FLAT DETECTOR

X-RAY "ON" BUTTON


ON TUBE HEAD

"When I can move the mini C-arm into place without a struggle and without the distraction of drift, it's easier to maintain focus on my patient."

-Orthopedic Sports Medicine Surgeon, Boston, MA USA

DUAL 19" MEDICAL MONOCHROME LCD WITH ANTI-GLARE PANELS Tilt/rotate adjustable monitors

DUAL FULL-SIZE PRIMARY AND REFERENCE IMAGES



COUNTERBALANCED **VERTICAL SLIDER**

SECURED & PROTECTED TRANSIT POSITION

> Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

 $\ensuremath{\mathbb{C}}$ 2016 General Electric Company — All rights reserved.

General Electric Company reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE representative for the most current information.

GE, GE Monogram, OEC Elite and MiniView are trademarks of General Electric Company.

GE OEC Medical Systems, Inc., a General Electric company, going to market as GE Healthcare.

GE Healthcare, Surgery — Americas Phone: 801-328-9300 Fax: 801-328-4300

GE Healthcare — Europe Paris, France Fax: 33-1-30-70-94-35

<mark>GE Healthcare — Asia</mark> Tokyo, Japan Fax: +81-452-85-549<u>0</u>

Hong Kong Fax: +852-2559-3588

Cannot be placed on the market or put into service until it has been made to comply with the Medical Device Directive requirements for CE marking.

384 Wright Brothers Drive Salt Lake City, UT 84116 USA

www.gehealthcare.com

